

SPEC SHEET + MEASUREMENTS

FLEXFIT®

Flexfit 110® Snapback Cap. FF110F

Product photo




Constructed from a blend of acrylic, wool and spandex, this cap offers stretch and adjustability along with ample space for decoration.

- 83/15/2 acrylic/wool/PU spandex (Colors and Heathers)
- 98/2 acrylic/PU spandex (White)
- 100% polyester undervisor
- Flexfit® Technology for comfort and enhanced fit
- ActiveGuard™ Tech to diffuse sweat through the undervisor more effectively
- Structured
- High-profile
- Flat bill
- 8 rows of stitching on bill
- Stretch sweatband
- Improved ultra soft and flexible snapback closure

Sketches



front



back

PRODUCT MEASUREMENTS

OSFA	
Bill/Visor Length	2 5/8
Crown Height	6 7/8
Width of Front Panel(s)	7 1/2

Bill/Visor Length: Measure from outside edge of bill to crown seam at center front.

Crown Height: Measure from middle of button at top, to brim seam along center front.

Width of Front Panel(s): Measure from side seam to side seam along bottom of crown (where bill meets crown along seam).

SIZE CHARTS

OSFA	
Hat Size	6 1/2 - 7 7/8
Head Size	20 3/8 - 24 5/8

HOW TO MEASURE

HATS

Measure the circumference around the head, above the eyebrow and at the widest part of the head. Divide number by 3.14 for hat size.

COLORS

							
Black PMS BLACK C	Black/ Grey PMS BLACK C	Black/ Purple PMS BLACK C	Black/ Red PMS BLACK C	Black/ Teal PMS BLACK C	Dark Grey PMS 4287C	Dark Navy PMS 4280C	Grey PMS 6216C
							
Heather Grey PMS 402C	Maroon PMS 504C	Natural/ Black PMS BLACK C	Navy PMS 4145C	Red PMS 207C	Royal PMS 3581C	White PMS WHITE C	