SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority[®] Tall Wearever Signature Pique Pocket Polo. TLK200P

Product photo



Silky soft comfort meets ultimate performance in these uniforming polos that are durable, customizable and affordable. Trust the Wearever Signature collection for whatever the job needs.

- 5-ounce, 65/35 polyester/cotton pique
- · Moisture-wicking
- UPF rating of 20-40+
- Wrinkle-resistant
- Shrink-resistant
- Fade-resistant
- · Easy Care
- · Anti-curl flat knit collar
- 3-button placket
- · Dyed-to-match pearlized buttons
- · Left chest pocket
- Flat knit cuffs
- · Side vents
- Drop tail hem
- · Tag-free label

Care Instructions Machine Wash Cold With Like Colors. Do Not Use Fabric Softener. Only Non-Chlorine Bleach, When Needed. Tumble Dry Low. Remove Promptly. Cool Iron, If Needed.

Sketches





front

back

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority[®] Tall Wearever Signature Pique Pocket Polo. TLK200P

PRODUCT MEASUREMENTS

	LT	XLT	2XLT	3XLT	4XLT
Body Length at Back	33	34	35	35 1/2	36
Chest	23 1/2	25	26 1/2	28 1/2	30 1/2
Sleeve Length from Center Back	21	21 3/8	21 7/8	22 3/8	23
Pocket Height	5	5	5	5	5 1/4
Pocket Width	4 1/2	4 1/2	4 1/2	4 1/2	4 3/4

Body Length at Back: Measured from high point shoulder to finished hem at back.

Chest: Measured across the chest one inch below armhole when laid flat.

Sleeve Length from Center Back: Measure from Center Back neck to shoulder point to sleeve hem.

Pocket Height: Measure from top to bottom at center.

Pocket Width: Measure from side to side at top edge.

SPEC SHEET + MEASUREMENTS


PORT AUTHORITY.

Port Authority[®] Tall Wearever Signature Pique Pocket Polo. TLK200P

SIZE CHARTS

	LT	XLT	2XLT	3XLT	4XLT
Chest	41-43	44-46	47-49	50-53	54-57

HOW TO MEASURE



CHEST WIDTH

Measure under the arm and around the fullest part of the chest with arms down, keeping tape horizontal.

COLORS



Deep Black PMS BLACK



Gusty Grey PMS COOL GRAY 8C



River Blue Navy PMS 533C



Storm Grey PMS 7540C



True Royal PMS 7687C